

EZ-Carousel™

Automated Bicycle Parking

KINETIC
Bike Parking That Fits

lominck
mobility
partner
in innovatie



EZ-Carousel™ Spec Sheet



Features & Benefits:

- Proven technology
- Carousel-based
- Indoor and outdoor
- 24/7 accessibility
- Registered FOB access
- Any type of bike
- Stackable; saves space
- Rentals or owned
- Customizable
- Made in The Netherlands

Specifications:

- Capacity: 24 bikes
- Power: 120V/230V
- Internet: Wireless
- FOB: RFID MIFARE 1K
- Diameter: 18.0' [5.5 m]
- Height: 16.3' [1.9 m]

EZ-Carousel™ Spec Sheet



Materials:

- Rotatable bottom frame – Aluminum
- Frame – Steel (80x80x5), galvanized
- Center module – Steel
- Bicycle gutters – Aluminum, anodized
- Bicycle clamps – Stainless steel
- Custom panels ~ Steel (3 mm)
- Roof ~ Steel (3 mm), powder coated
- Sliding door – Stainless steel
- User panels – Stainless steel


Automated Carousel







Indoor



Outdoor



Custom Solutions



Thank You!

Contact us for a quote or layout.
solutions@kineticbikeparking.com

1-800-818-2373

KINETIC

Bike Parking That Fits

Kinetic Parking Solutions is the North American Distribution and Reseller Partner for Lo Minck Systemen BV, Lissersbroek, The Netherlands.

© 2024 Lo Minck Systemen BV and Kinetic Parking Solutions.