

# EZ-Pentagon™ 2H Horizontal Rack

## PRODUCT CODE

10101255

## CAPACITY

3-5 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

76.65 lbs. (34.8 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101258
- ☐ Stainless 10101259




## OPTIONS

- ☐ Tamper proof nuts
- ☐ 2 holes per leg

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Pentagon™ 3H Horizontal Rack

## PRODUCT CODE

10101265

## CAPACITY

4-6 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

91.74 lbs. (41.65 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101268
- ☐ Stainless 10101269


## OPTIONS

- ☐ Tamper proof nuts
- ☐ 2 holes per leg

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Pentagon™ 4H Horizontal Rack

## PRODUCT CODE

10101275

## CAPACITY

5-7 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

103.3 lbs. (46.9 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101278
- ☐ Stainless 10101279


## OPTIONS

- ☐ Tamper proof nuts
- ☐ 2 holes per leg

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Pentagon™ 5H Horizontal Rack

## PRODUCT CODE

10101285

## CAPACITY

7-10 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

115.24 lbs. (52.32 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101288
- ☐ Stainless 10101289


## OPTIONS

- ☐ Tamper proof nuts
- ☐ 2 holes per leg

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Triangle™ 2H Horizontal Rack

## PRODUCT CODE

10101215

## CAPACITY

3-5 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

66.74 lbs. (30.3 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101218
- ☐ Stainless 10101219




## OPTIONS

- ☐ Tamper proof nuts
- ☐ 2 holes per leg

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Triangle™ 3H Horizontal Rack

## PRODUCT CODE

10101225

## CAPACITY

4-6 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

81.50 lbs. (37 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101228
- ☐ Stainless 10101229


## OPTIONS

- ☐ Tamper proof nuts
- ☐ 2 holes per leg

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Triangle™ 4H Horizontal Rack

## PRODUCT CODE

10101235

## CAPACITY

5-7 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

92.95 lbs. (42.2 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101238
- ☐ Stainless 10101239




## OPTIONS

- ☐ Tamper proof nuts
- ☐ 2 holes per leg

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Triangle™ 7H Horizontal Rack

## PRODUCT CODE

10101245

## CAPACITY

7-10 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

130.62 lbs. (59.3 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101248
- ☐ Stainless 10101249




## OPTIONS

- ☐ Tamper proof nuts
- ☐ 2 holes per leg

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.





# EZ-U™ Horizontal Rack

## PRODUCT CODE

10101025

## CAPACITY

2 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

33.46 lbs. (15.18 kg)

## FINISHES

- ☐ Powder Coated (any standard RAL)
- ☐ Galvanized (10101028)
- ☐ Stainless (10101029)


## OPTION

- ☐ Tamper proof nuts

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-U™ Horizontal Rack & Crossbar

## PRODUCT CODE

10101030

## CAPACITY

2 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

35.46 lbs. (16.1 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101033
- ☐ Stainless 10101034


## OPTION

- ☐ Tamper proof nuts
- ☐ Customizable cross bar

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-U™ Horizontal Rack Embedded

## PRODUCT CODE

10101130

## CAPACITY

2 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

35.46 lbs. (16.1 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101133
- ☐ Stainless 10101134


## OPTION

- ☐ Tamper proof nuts

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-U™ Horizontal Rack Embedded & Crossbar

## PRODUCT CODE

10101135

## CAPACITY

2 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

37.46 lbs. (17.1 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101138
- ☐ Stainless 10101139


## OPTION

- ☐ Tamper proof nuts
- ☐ Customizable cross bar

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-U™ Horizontal Narrow Rack

## PRODUCT CODE

10101045

## CAPACITY

2 Bikes

## MATERIALS

Square Steel Tube  
1.97" x 1.97" (50 mm x 50 mm)

## THICKNESS

0.189" (4.8 mm)

## WEIGHT

34.17 lbs. (15.5 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101048
- ☐ Stainless 10101049


## OPTION

- ☐ Tamper proof nuts

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-U™ Horizontal Narrow Rack & Crossbar

## PRODUCT CODE

10101050

## CAPACITY

2 Bikes

## MATERIALS

Square Steel Tube  
1.97" x 1.97" (50 mm x 50 mm)

## THICKNESS

0.189" (4.8 mm)

## WEIGHT

35.24 lbs. (16.0 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101053
- ☐ Stainless 10101054


## OPTION

- ☐ Tamper proof nuts
- ☐ Customizable cross bar

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-U™ Wall Handle Rack

## MATERIALS

Round Steel Pipe  
1.9" OD (Ø 48.3 mm)

## THICKNESS

0.125" (3.2 mm)

## WEIGHT

13.23 lbs. (6.0 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized
- ☐ Stainless


## OPTION

- ☐ Tamper proof nuts

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Circle™ Horizontal Rack

## PRODUCT CODE

10101090

## CAPACITY

2 Bikes per unit

## MATERIALS

Square Steel Tube  
1.97" x 1.97" (50 mm x 50 mm)

## THICKNESS

0.189" (4.8 mm)

## WEIGHT

33 lbs. (14.97 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized
- ☐ Stainless


## OPTION

- ☐ Tamper proof nuts

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.





# EZ-Circle™ Horizontal Rack & Cross Bar

## PRODUCT CODE

10101095

## CAPACITY

2 Bikes per unit

## MATERIALS

Square Steel Tube  
1.97" x 1.97" (50 mm x 50 mm)

## THICKNESS

0.189" (4.8 mm)

## WEIGHT

34.15 lbs. (15.5 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized
- ☐ Stainless


## OPTIONS

- ☐ Tamper proof nuts
- ☐ Customizable cross bar

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Density™ High Rack

## PRODUCT CODE

10101299

## CAPACITY

1 Bike per unit

## MATERIALS

Steel

## WEIGHT

21.61 lbs. (9.8 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


## OPTIONS

- ☐ Tamper proof nuts
- ☐ Fat tire design

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Density™ Low Rack

## PRODUCT CODE

10101298

## CAPACITY

1 Bike per unit

## MATERIALS

Steel

## WEIGHT

21.16 lbs. (9.6 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


## OPTIONS

- ☐ Tamper proof nuts
- ☐ Fat tire design

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Staple™ Horizontal Portland Rack

## PRODUCT CODE

10101005

## CAPACITY

2 Bikes

## MATERIALS

Round Steel Pipe  
1.9" OD (Ø48.26 mm)

## THICKNESS

0.145" (3.68 mm)

## WEIGHT

26.46 lbs. (12.0 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101008
- ☐ Stainless


## OPTIONS

- ☐ Tamper proof nuts
- ☐ Square tube

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Staple™ Horizontal Portland Rack & Cane Detection

## PRODUCT CODE

10101010

## CAPACITY

2 Bikes

## MATERIALS

Round Steel Pipe  
1.9" OD (Ø48.26 mm)

## THICKNESS

0.145" (3.68 mm)

## WEIGHT

30.86 lbs. (14.0 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101013
- ☐ Stainless


## OPTIONS

- ☐ Tamper proof nuts
- ☐ Square tube

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Staple™ Horizontal Portland Security Rack

## PRODUCT CODE

10101015

## CAPACITY

2 Bikes

## MATERIALS

Round Steel Pipe  
1.9" OD (Ø48.26 mm)

## THICKNESS

0.145" (3.68 mm)

## WEIGHT

30.86 lbs. (14.0 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized
- ☐ Stainless


## OPTIONS

- ☐ Tamper proof nuts
- ☐ Square tube

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Staple™ Horizontal Portland Security Rack & Bar

## PRODUCT CODE

10101020

## CAPACITY

2 Bikes

## MATERIALS

Round Steel Pipe  
1.9" OD (Ø48.26 mm)

## THICKNESS

0.145" (3.68 mm)

## WEIGHT

35.49 lbs. (16.1 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101023
- ☐ Stainless 10101024


## OPTIONS

- ☐ Tamper proof nuts
- ☐ Square tube
- ☐ Customizable cross bar

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Staple™ Long Horizontal Rack & Crossbar

## PRODUCT CODE

10101408

## CAPACITY

2 Bikes

## MATERIALS

Round Steel Pipe  
2 3/8" OD (Ø60.3 mm)

## THICKNESS

0.154" (3.91 mm)

## WEIGHT

46.3 lbs. (21 kg)

## FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized 10101411
- ☐ Stainless 10101412


## OPTION

- ☐ Tamper proof nuts
- ☐ Customizable cross bar

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.





# EZ-Staple™ Rainier Rack

## PRODUCT CODE

10101065

## CAPACITY

2 Bikes

## MATERIALS

Round Steel Pipe  
1.626" OD (Ø41.3 mm)

## THICKNESS

0.09" (2.3 mm)

## WEIGHT

18.74 lbs. (8.5 kg)

## FINISHES

☐ Powder Coated ANY STANDARD RAL


## OPTIONS

☐ Tamper proof nuts

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



# EZ-Hitch™ Horizontal Rack

## PRODUCT CODE

10101085

## CAPACITY

2 Bikes

## MATERIALS

Square Steel Tube  
0.97" x 0.97" (50 mm x 50 mm)

## THICKNESS

0.189" (4.8 mm)

## WEIGHT

56.2 lbs. (25.5 kg)

## FINISHES



- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized
- ☐ Stainless

## OPTION

- ☐ Tamper proof nuts

## SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.



Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.