

EZ-Lift™ Euro 40 Two-Tier Rack

PRODUCT CODES

10101402 Powder Coated
10101406 Galvanized

CAPACITY

1 Bike per Tray / 2 Bikes per Set

MATERIALS

Steel

LIFT ASSIST

Vapsint© gas strut: 20,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized
- ☐ Gas Spring Cover




OPTIONS

- ☐ Customizable on center distance _____
- ☐ Ground Mounted or Free Standing
- ☐ Lower Tier Charging Points for e-Bikes 10101409

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ Euro 45 Two-Tier Rack

PRODUCT CODES

10101402 Powder Coated
10101406 Galvanized

CAPACITY

1 Bike per Tray / 2 Bikes per Set

MATERIALS

Steel

LIFT ASSIST

Vapsint© gas strut: 20,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized
- ☐ Gas Spring Cover




OPTIONS

- ☐ Customizable on center distance _____
- ☐ Ground Mounted or Free Standing
- ☐ Lower Tier Charging Points for e-Bikes 10101409

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ Euro 50 Two-Tier Rack

PRODUCT CODES

10101402 Powder Coated
10101406 Galvanized

CAPACITY

1 Bike per Tray / 2 Bikes per Set

MATERIALS

Steel

LIFT ASSIST

Vapsint© gas strut: 20,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized
- ☐ Gas Spring Cover




OPTIONS

- ☐ Customizable on center distance _____
- ☐ Ground Mounted or Free Standing
- ☐ Lower Tier Charging Points for e-Bikes 10101409

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 17 Standard Rack

PRODUCT CODES

10101348 Powder Coated
10101349 Galvanized

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 18 Standard Rack

PRODUCT CODES

10101348 Powder Coated
10101349 Galvanized

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 24 Standard Rack

PRODUCT CODES

10101348 Powder Coated
10101349 Galvanized

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 17 High Density Angled Rack

PRODUCT CODE

10101410 Transversal Angled Top Tray

CAPACITY

6 Bikes per set (upper/lower)

NOTE: drawings show 3 bikes on top, 3 bikes on bottom

MATERIALS

Steel & Aluminum

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized




OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 18 High Density Angled Rack

PRODUCT CODE

10101410 Transversal Angled Top Tray

CAPACITY

6 Bikes per set (upper/lower)

NOTE: drawings show 3 bikes on top, 3 bikes on bottom

MATERIALS

Steel & Aluminum

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized




OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 17 High Density Swivel Rack

PRODUCT CODES

10101405 Swivel Bottom Tray

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized




OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 18 High Density Swivel Rack

PRODUCT CODES

10101405 Swivel Bottom Tray

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 24 High Density Swivel Rack

PRODUCT CODES

10101405 Swivel Bottom Tray

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 17 High Density Transversal Rack

PRODUCT CODE

10101411 Transversal Straight Top Tray

CAPACITY

6 Bikes per set (upper/lower)

NOTE: drawings show 3 bikes on top, 3 bikes on bottom

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES




- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized

OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.



Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.

EZ-Lift™ 18 High Density Transversal Rack

PRODUCT CODE

10101411 Transversal Straight Top Tray

CAPACITY

6 Bikes per set (upper/lower)

NOTE: drawings show 3 bikes on top, 3 bikes on bottom

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES




- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized

OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

For recommendations and details on clearances and aisle widths please refer to the [APBP Bicycle Parking Guide](#) or your local ordinances and guidelines.



Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.