

EZ-Lift™ 16 Standard Rack

PRODUCT CODES

10101348 Powder Coated
10101349 Galvanized

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 17 Standard Rack

PRODUCT CODES

10101348 Powder Coated
10101349 Galvanized

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 18 Standard Rack

PRODUCT CODES

10101348 Powder Coated
10101349 Galvanized

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 24 Standard Rack

PRODUCT CODES

10101348 Powder Coated
10101349 Galvanized

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 17 High Density Swivel Rack

PRODUCT CODES

10101405 Swivel Bottom Tray

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized




OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 18 High Density Swivel Rack

PRODUCT CODES

10101405 Swivel Bottom Tray

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 24 High Density Swivel Rack

PRODUCT CODES

10101405 Swivel Bottom Tray

CAPACITY

2 Bikes per set (upper/lower)

NOTE: drawings show 2 sets (4 bikes)

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized




OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 17 High Density Transversal Rack

PRODUCT CODE

10101410 Transversal Straight Top Tray

CAPACITY

6 Bikes per set (upper/lower)

NOTE: drawings show 3 bikes on top, 3 bikes on bottom

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 18 High Density Transversal Rack

PRODUCT CODE

10101410 Transversal Straight Top Tray

CAPACITY

6 Bikes per set (upper/lower)

NOTE: drawings show 3 bikes on top, 3 bikes on bottom

MATERIALS

Steel & Aluminum

LIFT ASSIST

Gas Strut: 30,000 movements

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized


OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 17 High Density Angled Rack

PRODUCT CODE

10101411 Transversal Angled Top Tray

CAPACITY

6 Bikes per set (upper/lower)

NOTE: drawings show 3 bikes on top, 3 bikes on bottom

MATERIALS

Steel & Aluminum

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized




OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.



EZ-Lift™ 18 High Density Angled Rack

PRODUCT CODE

10101411 Transversal Angled Top Tray

CAPACITY

6 Bikes per set (upper/lower)

NOTE: drawings show 3 bikes on top, 3 bikes on bottom

MATERIALS

Steel & Aluminum

FINISHES

- ☐ Powder Coated ANY STANDARD RAL
- ☐ Galvanized

OPTIONS

- ☐ Additional locking bar
- ☐ Customizable on center distance _____

SPACING REQUIREMENTS

Our products will adhere to the clearance and aisle width requirements, per the local building codes and ordinances applicable to your project. For additional guidance, the [APBP Bicycle Parking Guidelines](#) can also be a helpful reference.

Drawings are for information purposes only and while accurate at the time of creation, Kinetic Parking Solutions, Inc. must confirm its accuracy prior to submission.

